



hatcher press

equipment list



Graphic Solutions for the Trade

SERVING PRINT BROKERS, ADVERTISING AGENCIES, PUBLISHERS, PREPRESS HOUSES,
GRAPHIC DESIGNERS, OTHER PRINTERS, AND CORPORATE IN-HOUSE SHOPS
WITH EXCEPTIONAL CUSTOMER SERVICE, QUALITY COLOR SEPARATIONS,
AND STATE OF THE ART COMPUTER TO PLATE DIGITAL PRE-PRESS,
COMBINED WITH THE HIGHEST QUALITY SHEETFEED PRINTING,
AND FULL SERVICE BINDERY AND FINISHING.

Hatcher press

Electronic Pre-press

Scanning:

- 1 Heidelberg Prepress Topaz - 8000 dpi flatbed scanner (12"x 18" max. input)
- 1 Heidelberg Prepress Tango - 11000 dpi drum scanner (20"x 26" max. input)
W/ Copix option (Copy dot scanning)
- 1 Umax Powerlook 1200 dpi flatbed scanner (11"x 17" max. input)

Workstations:

- 1 SGI Origin 2000 4 Processor Server - 1GB RAM, 300GB RAID
Xinet Full Press OPI Server-Dalim Twist Workflow Automation Software
- 1 Dalim Lithos Trapping/Retouching on SGI Octane workstation
- 1 Creo PreScript/Trapwise NT on DEC Alpha workstation
- 1 Extreme Networks Switched Gigabit Ethernet Network
- 7 - 9500 Mac workstations / 3 Radius PressView Monitors
- 3 - G3 Mac workstations
- 1 - HP Kayak PC workstation

Digital Proofing:

- 1 Creo Trendsetter Spectrum - W/ Harlequin DEC Alpha RIP
Imation Laser Matchprint - 30"x 40" CMYK & Spot color halftone dot proofs
- 1 Kodak Approval PS - W/ Harlequin DEC Alpha RIP
12.5" x 19" CMYK halftone dot proofs
- 1 Creo VPS RIP (on screen viewing of ripped files)*
- 1 Gerber Impress Proofer - 8 page - 2 sided digital bluelines*
- 1 HP 2500 Proofer - 8 page - 1 sided digital bluelines*
* driven by Harlequin DEC Alpha RIPs
- 1 Apple 8500 Tabloid size B+W Laser Printer
- 1 HP 4MV Tabloid size B+W Laser Printer

Computer To Plate Output:

- 1 Creo TrendSetter Autoloader Thermal Platesetter (32"x 44"max.)
W/ Harlequin DEC Alpha RIP and online processing line
- 1 Creo Trendsetter Spectrum - W/ Harlequin DEC Alpha RIP
- All platemaking is done on Kodak IR Thermal Plates

Film Output:

- 1 Screen DTR 3100 8 up imagesetter (30"x 40" max.)
W/ Harlequin DEC Alpha RIP and online processor

Archival:

- CD ROM Disk Archiving
- DLT Tape Archiving

Media Supported (in order of preference):


- Iomega Zip
- Iomega Jazz
- CD ROM
- 128/230 Optical

Conventional Pre-Press

- 1 Kodak Plate Processing line
- 1 Stoesser Register Systems Film Punch
- 1 Ternes Register Systems Plate Punch
- 4 - Film /Plate/Proof Contact Frames
- 4 - Stripping Stations

Analog Proofing:

- Imation Matchprint Color Proofing System
- DuPont Dylux (blueline)






Pressroom

All Heidelberg Speedmaster 28" x 40" Sheetfed Presses:

- 10/color perfecter with 5/5 or 10-inline capabilities. Computer enhanced with a CPC-Tronics (Computer Print Control) interactive operating system
- 8/color CD with aqueous coating unit, extended dryer, and capacity to run various weights of sheets from 60lb. book to 36pt. board. Computer enhanced with a CPC-Tronics
- 6/color CD with aqueous coating unit, extended dryer, and capacity to run various weights of sheets from 60lb. book to 36pt. board. Computer enhanced with a CPC-Tronics (Computer Print Control) interactive operating system
- 6/color with aqueous coating unit in-line and CPC controls
- 4/color perfecter with 2/2 or 4-inline capabilities, and a CPC-Tronics controlling unit
- 1/color SORS



Press Support Equipment

- 3 - CPC-2S Spectro Densitometer color support system
- CPC-32 PC station - CIP3 ink key settings from Creo RIPs
- CPC-3S Plate Reading Scanner
- In-house "AquaFlo" Reverse Osmosis water filter system
- "Automatän" Load-Turner/Jogger and Aerator with capability for turning up to 6 foot paper loads.
- Prisco Tech - Solvent Recovery System

Bindery/Finishing

- Muller Martini Five Pocket Saddle Stitcher with cover feeder, three knife trimmer and 2 up CD booklet capability
- Stahl B-30 Folder with up to 32 page fold and gate-fold capabilities
- Stahl B-30 Folder with up to 32 page fold
- Stahl B-26 Knife Folder
- Stahl B-22 Pile Feed Folder
- 3 Hole Signa-Punch addition to any of the folders or Muller
- Polar Programmable 45" Cutter with adjacent air jogger and computerized counting scale
- Polar Programmable 60" Cutter
- Automatic Shrink Wrapping System
- Challenge MS-5 3 Hole Hydraulic Drill
- Challenge Cornering Machine
- Rollem TR 42" Perfing and Scoring machine

Shipping and Receiving

- 14' bobtail truck with a 14,000 lb. weight capacity
- 12' bobtail truck with 9,000 lb. capacity
- 3 vans with 3,000 lb. weight capacity
- 1 compact pickup truck for quick runs of proofs or blueines
- Easy access delivery and pick-up area



hatcher press

345 Shoreway Road San Carlos, California 94070
650 592-6912 fax 650 593-0308

e-mail: info@hatcher.com <http://www.hatcher.com>
"Graphic solutions for the trade."

